What is claimed:

- A closure device for a flexible container containing a medical fluid comprising:

 a base section having a top wall, a bottom wall, said base section adapted to fit said
 flexible container;
- a support connected to said base section and adapted for a user to grip said closure device;
 - a cylindrical member extending through said base section and said support, said cylindrical member having a first opening in said base section and a second opening in said support, said cylindrical member adapted to allow said medical fluid to flow therethough and exit said flexible container;
 - a first seal blocking said cylindrical and capable of being breached; and a second seal covering said second opening and capable of being defeated; wherein a portion of said cylindrical member between said first seal and said second seal defines a chamber.

15

25

10

- 2. A closure device for a flexible container containing a medical fluid comprising: a base section having a top wall, a bottom wall, said base section adapted to fit said flexible container;
 - a mid-section connected to said top wall;
- a support connected to said mid-section and adapted for a user to grip said closure device;
 - a cylindrical member extending through said base section, said mid-section and said support, said cylindrical member having a first opening in said base section and a second opening in said support, said cylindrical member adapted to allow said medical fluid to flow therethough and exit said flexible container;
 - a first seal blocking said cylindrical member and capable of being breached; and a second seal covering said second opening and capable of being defeated;

wherein a portion of said cylindrical member between said first seal and said second seal defines a chamber.

- 3. The closure device of claim 2, wherein said first seal covers said first opening.
- 4. The closure device of claim 3, wherein said first seal comprises a weakened section.
- 5. The closure device of claim 2, wherein said second seal is a peelable foil.
- 6. The closure device of claim 2, wherein said cylindrical member has a diameter from about 0.5 mm to about 12 mm.
- 7. The closure device of claim 6, wherein said cylindrical member is adapted to receive a spike set.
- 8. The closure device of claim 2, wherein said support has at least one wing.
- 9. The closure device of claim 2, wherein said chamber is sterile after said closure device has experienced a sterilization process.
 - 10. The closure device of claim 2, wherein said base section is boat-shaped.
 - 11. A container for a medical fluid comprising:

10

15

a pouch having a port and at least a single edge such that said edge defines a reservoir within said pouch that is adapted to contain a medical fluid; and

a closure device adapted to fit said port and comprises

- a base section having a top wall and a bottom wall;
- a mid-section connected to said top wall;
- a support connected to said mid-section and adapted for a user to grip said closure device;
- a cylindrical member extending through said base section, said mid-section and said support, said cylindrical member having a first opening in said base section and a second opening in said support, said cylindrical member adapted to allow said medical fluid to flow therethough and exit said port;
- a first seal blocking said cylindrical member and capable of being breached; 25 and
 - a second seal covering said second opening and capable of being defeated; wherein a portion of said cylindrical member between said first seal and said second seal defines a chamber.

- 12. The container of claim 11, wherein said first seal covers said first opening of said cylindrical member.
- 13. The container of claim 12, wherein said first seal is a weakened area.

5

15

- 14. The container of claim 11, wherein said closure device is made of a polymer material.
- 15. The container of claim 11, wherein said chamber is sterile after said closure device is sterilized.
- 16. The container of claim 11, wherein said second seal is a peelable foil.
- 17. The container of claim 11, wherein said cylindrical member has a diameter from about 0.5 mm to about 12 mm.
 - 18. The container of claim 11, wherein said support has at least one wing.
 - 19. The container of claim 16, wherein said support further comprises a raised surface.
 - 20. A closure device for a flexible container containing a medical fluid comprising: a base section having a top wall, a bottom wall, said base section adapted to fit said flexible container;
 - a cylindrical member having a first opening and a second opening, said cylindrical member extending through and projecting outwardly from said base section;
 - a support adapted for a user to grip said closure device, said support being connected to said base;
- a first seal blocking said cylindrical member and capable of being breached; and a second seal covering said second opening and capable of being defeated.